Scissor Lift

Used Scissor Lift New Hampshire - Scissor lifts are industrial equipment that relies on steel linked arms to lift vertically. These machines feature an “X” support system to accommodate vertical lifting at various heights. The scissor lift has a rectangular platform attached to the top of it. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. This equipment relies on either a combustion engine or an electric motor to create the lift and transport the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. Rough terrain scissor lifts are adapted for travelling on uneven locations. Oversized all-terrain tires often accompany rough terrain models to provide higher ground clearance. Certain models offer 4WD making them able to traverse through dirty areas. The higher center of gravity works in conjunction with lower lifting heights. If you have never operated one before, scissor lifts can seem strange or intimidating. While you may think this machine is susceptible to swaying in the wind or becoming unbalanced, understand that it has been designed to ensure total operator safety and that likely, you will not even feel the machine moving. Numerous safety tests need to be completed prior to being capable of being sold. It is natural to feel uncomfortable if you are new to this type of equipment. Safety precautions need to be maintained at all times. There are many different kinds of electric scissor lift models to choose from, depending on what you will be using it for. The model you will prefer will largely depend on the types of jobs you plan on completing. Key factors to consider include how high you will need to reach and the types of loads you will be moving. There are different models on the market that can help you reach various heights. Smaller models are commonly used for interior applications including warehouses and freight or factory settings. If you do not need the highest capacity model, there is no need to choose the largest unit available. Electric scissor lifts have optional platforms and railings to offer maximum safety features. Scissor lifts are reliable and safe for a multitude of applications. Of course, if these units did not undergo strict inspections and safety certification, they would not be for sale all over the world. Scissor lifts enable us to finish tasks that normally are inaccessible or unreachable otherwise. These machines are situated in place before elevating vertically. The operator needs to move the unit into the correct position before engaging the lift. Numerous safety features have been designed into the machine. It is essential to follow operational guidelines to maintain everyone’s safety. Scissor lifts offer a secure basket workspace making many tasks much safer than trying to complete while dangling off of a ladder or scaffolding. Most scissor lifts utilize internally mounted batteries located inside the base of the machine to provide power. Charging is required after a long sitting for an extended time or working a long shift. Numerous operators charge their units throughout the day or replace batteries every 12 hours. To charge the scissor lift, the operator parks it close to an electrical outlet within a well-ventilated location. After the scissor lift is parked the emergency shut-off switch is activated for safety. The sizeable red button found inside of the basket or the lift located near the charger or control box is the emergency shut-off switch. Oftentimes, the battery charger is found on the right side of the lift on the base of the machine. Older scissor lifts may have a battery charger found on the back of the unit. The scissor lift charger is plugged into the AC extension cord into a well-ventilated location. Next, the extension cord plugs into an electrical outlet. The electrical cord length on the battery charger has to be short for safety reasons to prevent the unit from running over it. If the extension cord came out of the battery charger storage location during operation, there is a great potential for extreme danger. Ideally, all of the lights on the charger should become illuminated after the scissor lift is plugged in. The batteries will automatically begin charging once plugged in. Once the unit is charged, the battery lights will turn green and the charger will turn off. Older scissor lift models rely on a meter to show whether zero volts have been attained after complete charging has occurred. This type of charger automatically shuts down

as well once charging is done. After the batteries are completely charged the scissor lift can complete another shift. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.